




Unison UK-Amino  
Unison UK-Phenyl

150 x 3 mm  
250 x 3 mm

Application


## Acrylic Monomers

アクリルモノマー



### normal phase

Unison UK-Amino, 150 x 3 mm  
hexane / ethanol / TFA = A / B / 0.1  
0.4 mL/min (3-4MPa), 37 deg.C,  
0.2-0.4 uL  
(1.2-3.6ug, dissolved with eluent)



### reversed phase

Unison UK-Phenyl, 250 x 3 mm  
water / methanol / TFA = 100 / 0.5 / 0.1  
0.4 mL/min (12 MPa), 37 deg.C, 215 nm  
0.4 uL (0.1-0.4ug)