

AUTHORIZED DISTRIBUTOR

MZ-Analysentechnik GmbH Barcelona-Allee 17 • D-55129 Mainz Tel +49 6131 880 96-0 Fax +49 6131 880 96-20 e-mail: info@mz-at.de

www.mz-at.de



SAMPLE PREPARATION - SPE AND PROTEIN CRASH



MicroLute™


Solid phase extraction (SPE) is a method of sample preparation that concentrates and purifies analytes from solution by sorption, followed by elution of the analyte with a solvent appropriate for instrumental analysis, such as LC-MS. Porvair Sciences offers a complete range of products to implement SPE.

MicroLute[™] is the original 96-well plate format for SPE. This device consists of a polypropylene 96-well plate loaded with a choice of sorbent and sorbent volumes. The frits have a mean pore size of 20 microns and are made from microporous high-density polyethylene.

- Choice of popular sorbents
- Packed bed volumes from 10mg to 100mg per well
- Frit pore size 20µm
- No channelling due to proprietary sorbent loading technique
- Working volume of 2ml per well
- Up to four times quicker than cartridge systems
- Long drain directors locate accurately with collection plate to avoid cross contamination
- Virgin polypropylene, tested and chosen for having no extractables
- Plate designed to be automated meets ANSI/SBS specification

Porvair's flexible manufacturing approach enables us to consider manufacture of small runs of MicroLute™ devices packed with specialty resins or sorbents of your choice. Typically, minimum runs of just 50 plates can be produced economically. Please contact Porvair Sciences for more details of this service.





Microl ute™ packed with Varian corbent

щ	
_	4
=	٥
F	
i.	j
- 2	P
- 6	1
Ξ	5
=	ļ
-	į
9	
_>	Ē
- 2	Ė
C	١
- 22	_
- 52	
-	
-7	
_	

microLute	раскеа w	ith varian	sorbent		
Description	10mg	15mg	25mg	50mg	100mg
C18	242001	244001	246001	248001	25000°
C8	242002	244002	246002	228002	250002
C2	242003	244003	246003	248003	25000
C1	242004	244004	246004	248004	250004
PH	242005	244005	246005	248005	25000
CH	242006	244006	246006	248006	25000
CN-E	242007	244007	246007	248007	25000
C18-OH	242008	244008	246008	248008	25000
CN-N	242009	244009	246009	248009	25000
20H	242010	244010	246010	248010	25001
Si	242011	244011	246011	248011	25001 ⁻
CBA	242012	244012	246012	248012	25001
PRS	242013	244013	246013	248013	25001
SCX	242014	244014	246014	248014	25001
NH2	242015	244015	246015	248015	25001
PSA	242016	244016	246016	248016	25001
DEA	242017	244017	246017	248017	25001
SAX	242018	244018	246018	248018	25001
PBA	242019	244019	246019	248019	25001
ENV	242020	244020	246020	248020	
LMS	242021	244021	246021	248021	
PPL	242022	244022	246022	248022	
C18HF	242023	244023	246023	248023	
Certify	242024	244024	246024	248024	25002

244025

244026

244027

242025

242026

242027

Combinatorial MicroLute[™]

Certify HF

Certify II HF

Certify II

Combinatorial MicroLute™ is based on the tried and tested MicroLute™ format. This is a 96-well polypropylene plate with a bottom polyethylene frit already in place. It is designed to allow packing with any material required for chemical synthesis. Two bottom frit sizes are available, 10µm and 30µm, however, we recommend the use of $30\mu m$ top frits to ensure a good flow rate in both cases.

- Accepted industry standard
- Up to 2ml per well of sample

246025

246026

246027

- Virgin polypropylene
- Polypropylene is tested and chosen for having no

248025

248026

248027

250026

Manufactured to ANSI/SBS standard to allow for

Combinatorial MicroLute™

Description	Qty/pack	Cat. no.
Combinatorial Microlute™ plate, unpacked with bottom frits. Mean pore size 30µm, polyethylene	1	240002
30μm Vyon F PE frits to fit Combinatorial Microlute 1.5 x 7.2mm frits	1,000	239007
Combinatorial Microlute $^{\text{TM}}$ plate, unpacked with bottom frits. Mean pore size 10 μm , polyethylene	1	240054
10μm Vyon T PE frits to fit Combinatorial Microlute 1.5 x 7.2mm frits	1,000	239010
Empty 96-well MicroLute shell with no top or bottom frits	40	240011

MaxiLute™

The development of a 48-well solid-phase extraction (SPE) system allows the step between SPE cartridges and SPE 96-well plates to be managed.

With the larger packed bed volume and increased sample volume, the design of the MaxiLute™ offers advantages for drug development, food and environmental laboratories currently using SPE cartridges.


Manufactured from virgin polypropylene and loaded with a choice of sorbents and volumes.

- Unique design eliminates mess associated with traditional manual SPE cartridge methods
- Up to 4 times faster than cartridge methods
- Constructed from a single piece of high quality polymer which will not bend or distort
- A range of packed bed volumes ranging from 250mg, through to 1500mg
- Capability to process up to 200ml of sample in one plate
- Frit pore size of 20µm
- Each well has an individual drain spout ensuring 100% sample transfer and zero crosscontamination
- Manufactured within ANSI/SBS standard to allow easy automation

MaxiLute™

Sorbent volume	250mg	500mg	1000mg	1500mg
SCX	322001	321001	318001	320001
SAX	322002	321002	318002	320002
Silica	322003	321003	318003	320003
C18	322004	321004	318004	320004





P³ Protein Precipitation Plates

Biological samples commonly contain proteins that interfere with downstream applications. The P³ plate uses the CRASH method, in which the protein is denatured with acetronitrile and the flocculant filtered out, allowing 96 samples to be handled at one time.


The Protein Precipitation Plate, P³, is based on the industry standard MicroLute™ format, but without the chromatographic sorbent. Protein 'crashes' out of solution and precipitates directly in each well when acetonitrile is added, thus solving all common problems associated with the CRASH technique of protein clean-up.

The novel dual frit, hydrophobically treated matrix means that there is no 'wetting out' and leakage of the sample through the plate before the application of vacuum. P3 is now commonly used as the protein precipitation plate of choice in many major pharmaceutical companies.

Optional drain cap and top cap mats are available for those wishing to use vortex sample mixing (see page 41).

- Dual frit design
- Pre-filter frit at 100µm traps large flocculant particles
- Secondary frit traps fine protein particles at <10µm
- Frits are Hydrophobic/Oleophobic. This retains sample/acetonitrile in the well to allow precipitation of proteins until vacuum is applied.
- Pore size optimised to allow ideal flow rate
- Inert filter material to ensure no adsorption of sample components
- Frit structure prevents break through of protein particles
- Industry standard MicroLute™ format enables easy automation
- Specially selected polypropylene for low extractables





MicroLute™ Protein Precipitation Plate

Description	Qty/pack	Cat. no.
P ³ Protein Precipitation Plate (single pack)	1	240100
P ³ Protein Precipitation Plate (bulk pack)	5	240200
P ³ Protein Precipitation Plate High Efficiency*	1	240010

^{*}The Protein MicroLute High Efficiency plate is exactly the same as the P³ but with the frits untreated. This plate is used when sample and acetronitrile are pre-mixed before being pipetted into the plate.

SPE starter pack

This kit has been designed to form the starting point for SPE analysis. This gives the researcher the necessary hardware to process samples using an SPE plate and to collect under vacuum the analyte for further analysis.

The kit consists of:

- 2 x 50mg MicroLute™ containing. 50mg of Varian C18, C8, C2, SAX, SCX, Certify, Certify II and CBA, 1 x 50mg Varian C18
- 🏮 1 x acrylic manifold
- 1 x 1ml spacer insert
- 3 x 2ml 96-well microplates
- 3 x disposable reservoir trays

MicroLute[™] starter pack

Starter pack 271023



Development MicroLute™

This is an SPE Development MicroLute™, which is designed for research and development laboratories, where it may not be known which sorbent best suits the process.

The system allows the researcher to specify which sorbents go into specific wells, with what designated packed bed volume. This allows the researcher to have full control of the SPE plate.

- Uses an industry standard SPE plate, MicroLute™
- Sorbents from Varian
- Packed bed volumes ranging from 10mg to 100mg
- Allows up to 2ml of sample to be tested
- Can be packed either in 8-row or 12-column format
- Manufactured within ANSI/SBS standard to allow for automation

MicroLute™ - Development

	10mg	15mg	25mg	50mg	100mg
Eight sorbents	271014	271016	271018	271020	271022
Twelve sorbents	271024	271026	271028	271030	271032

MicroLute[™] accessories

- Disposable reservoir tray. Used for the collection of waste products in the vacuum manifold
- Sealing cap, square well, fits top of MicroLute™. Used for retaining the sample in the well during transit or stopping the well from becoming contaminated
- Drain cap mat that seals the bottom of the plate, preventing liquid leakage

MicroLute[™] – accessories

Description	Qty/pack	Cat. no.
Disposable reservoir tray	25	219010
Sealing cap, square well, fits to top of plate	50	219004
Drain cap mat, seals base of plate	25	219005


MicroLute™ *Bi*•Vyon Co-sinter products

BioVyon™ Co-sinter products are made using a solid-state media created from an ultra-pure and highly modified polymeric material with the lowest levels of extractables and leachables. Our proprietary BioVyon™ technology allows high-purity silica resins to be supported in a matrix which provides a high surface area whilst reducing channelling through the column. As the porous material is co-sintered under high pressure and temperature with the BioVyon™ polymer matrix, the resultant frit or column is impervious to further compression and easily resists channelling of liquids, even at high flow rates.



BioVyon C8 and C18 products

Porvair Sciences have introduced MicroLute™ BioVyon™ Co-sintered C8 and C18 silica SPE 96-well plates for low volume assays. Offered in 96-well MicroLute™ plates as a 10mg per well loading of C8 or C18 suitable for low sample volume bioassay preps and clean ups.




Micro structure of BioVyon substrate



A MicroLute solid phase extraction plate in use with the new Porvair Sciences robotic compatible vacuum manifold.

MicroLute™ BioVyon™ Co-sinter products

Solid Phase Extraction		
Description	Qty/pack	Cat. no.
C8 96-well plate 10mg per well	1	240030
C18 96-well plate 10mg per well	1	240031



Accounts

Porvair plc

7 Regis Place Bergen Way Kings Lynn Norfolk UK PE30 2JW

Tel: 44 (0)1553 765500 Fax: +44 (0)1553 765599

AUTHORIZED DISTRIBUTOR

MZ-Analysentechnik GmbH Barcelona-Allee 17 • D-55129 Mainz Tel +49 6131 880 96-0 Fax +49 6131 880 96-20 e-mail: info@mz-at.de www.mz-at.de

Customer Services

Porvair Sciences Ltd

Clywedog Road South Wrexham Industrial Estate Wrexham North Wales UK LL13 9XS

Tel: +44 (0) 1978 666240/666239 Fax: +44 (0) 1978 660007



Sales Office

Porvair Sciences Ltd

Dorset House Regent Park Kingston Road Leatherhead UK KT22 7PL

Tel: +44 (0)1372 824290 Fax: +44 (0)1372 824271

email: int.sales@porvair-sciences.com www.microplates.com

